

Daniel Stec

<https://orcid.org/0000-0001-6876-0717>

Zawierucha K., **Stec D.**, Dearden P.K., Shain D.H. 2023. Two new tardigrade genera from New Zealand's Southern Alp glaciers display morphological stasis and parallel evolution. *Molecular Phylogenetics & Evolution*, 178: 107634. <https://doi.org/10.1016/j.ympev.2022.107634>

Stec D. 2022. Integrative taxonomy helps to revise systematics and questions the purported cosmopolitan nature of the type species within the genus *Diaforobiotus* (Eutardigrada: Richtersiusidae). *Organisms Diversity & Evolution*. <https://doi.org/10.1007/s13127-022-00592-6>

Stec D. 2022. An integrative description of two new *Mesobiotus* species (Tardigrada: Eutardigrada: Macrobiotidae) with updated genus phylogeny. *Zoological Studies*, 61: 85. <https://doi.org/10.6620/ZS.2022.61-85>

Kiosya Y., **Stec D.** 2022. New species of the genus *Richtersius* Pilato & Binda, 1989 (Tardigrada: Eutardigrada: Richtersiusidae) from Uzbekistan. *Folia Biologica (Kraków)* 70: 141-150. https://doi.org/10.3409/fb_70-4.18

Stec D., Cancellario T., Fontaneto, D. 2022. Diversification rates in Tardigrada indicate a decreasing tempo of lineage splitting regardless of reproductive mode. *Organisms Diversity & Evolution*, 22, 965-974. <https://doi.org/10.1007/s13127-022-00578-4>

Stec D. 2022. *Macrobiotus rebecchii* sp. nov., a new limno-terrestrial and hermaphroditic tardigrade from Kyrgyzstan. *Animals*, 12(21): 2906. <https://doi.org/10.3390/ani12212906>

Stec D., Vončina K., Kristensen R.M., Michalczyk Ł. 2022. The *Macrobiotus ariekammensis* species complex provides evidence for parallel evolution of long claws in macrobiotid tardigrades. *Zoological Journal of the Linnean Society*, 195(4): 1067-1099. <https://doi.org/10.1093/zoolinnean/zlab101>

Vecchi M., **Stec D.**, Tommi V., Ryndov S., Chartrain J., Calhim, S. 2022. *Macrobiotus naginae* sp. nov., a New Xerophilous Tardigrade Species from Rokua Sand Dunes (Finland). *Zoological Studies*, 61: 22. <https://doi.org/10.6620/ZS.2022.61-22>

Vecchi M., Ferrari C., **Stec D.**, Calhim S. 2022. Desiccation risk favours prevalence and diversity of tardigrade communities and influences their trophic structure in alpine ephemeral rock pools. *Hydrobiologia* 849: 1995-2007. <https://doi.org/10.1007/s10750-022-04820-0>

Miller K., **Stec D.**, Pardyak L., Kamińska A., Kuszewska K. 2022. No increase in alcohol dehydrogenase levels following repeated ethanol exposure in young honeybee workers. *Physiological Entomology* 47(2): 110-116. <https://doi.org/10.1111/phen.12380>

Pogwizd J., **Stec D.** 2022. An integrative description of a new *Richtersius* species from Greece (Tardigrada: Eutardigrada: Richtersiusidae). *Acta Zoologica Academiae Scientiarum Hungaricae* 68(1): 1-21. <https://doi.org/10.17109/AZH.68.1.1.2022>

Stec D., Morek W. 2022. Reaching the Monophyly: Re-Evaluation of the Enigmatic Species *Tenuibiotus hyperonyx* (Maucci, 1983) and the Genus *Tenuibiotus* (Eutardigrada). *Animals* 12(3): 404. <https://doi.org/10.3390/ani12030404>

Tůmová M., **Stec D.**, Michalczyk Ł., Devetter M. 2022. Buccal tube dimensions and prey preferences in predatory tardigrades. *Applied Soil Ecology* 170: 104303. <https://doi.org/10.1016/j.apsoil.2021.104303>

Stec D. 2021. Integrative Descriptions of Two New *Mesobiotus* Species (Tardigrada, Eutardigrada, Macrobiotidae) from Vietnam. *Diversity* 13(11): 605 . <https://doi.org/10.3390/d13110605>

Stec D., Vecchi M., Dudziak M., Bartels P.J., Calhim S., Michalczyk Ł. 2021. Integrative taxonomy resolves species identities within the *Macrobiotus pallarii* complex (Eutardigrada: Macrobiotidae). *Zoological Letters* 7: 9. <https://doi.org/10.1186/s40851-021-00176-w>

Vecchi M., **Stec, D.** 2021. Integrative descriptions of two new *Macrobiotus* species (Tardigrada, Eutardigrada, Macrobiotidae) from Mississippi (USA) and Crete (Greece). *Zoosystematics and Evolution* 97(1): 281-306. <https://doi.org/10.3897/zse.97.65280>

Stec D., Vecchi M., Calhim S., Michalczyk Ł. 2021. New multilocus phylogeny reorganises the family Macrobiotidae (Eutardigrada) and unveils complex morphological evolution of the *Macrobiotus hufelandi* group. *Molecular Phylogenetics & Evolution* 160: 106987. <https://doi.org/10.1016/j.ympev.2020.106987>

Ostap-Chec M., Opalek M., **Stec D.**, Miler K. 2021. Discontinued alcohol consumption elicits withdrawal symptoms in honeybees. *Biology Letters* 17: 20210182. <https://doi.org/10.1098/rsbl.2021.0182>

Miler K., **Stec D.**, Kamińska A., Pardyak L., Kuszewska K. 2021. Alcohol intoxication resistance and alcohol dehydrogenase levels differ between the honeybee castes. *Apidologie* 52: 230-241. <https://doi.org/10.1007/s13592-020-00812-y>

Miler K., Opalek M., Ostap-Chec M., **Stec D.** 2021. Diel rhythmicity of alcohol-induced intoxication in the honeybee workers. *Journal of Zoology* 314(2): 96-103. <https://doi.org/10.1111/JZO.12872>

Kiosya Y., Pogwizd J., Matsko Y., Vecchi M., **Stec D.** 2021. Phylogenetic position of two *Macrobiotus* species with a revisional note on *Macrobiotus sottilei* Pilato, Kiosya, Lisi & Sabella, 2012 (Tardigrada: Eutardigrada: Macrobiotidae). *Zootaxa* 4933(1): 113-135. <https://doi.org/10.11646/zootaxa.4933.1.5>

Zajac K., **Stec D.** 2020. Molecular Approach to Identifying Three Closely Related Slug Species of the genus *Deroceras* (Gastropoda: Eupulmonata: Agriolimacidae). *Zoological Studies* 59(55). <https://doi.org/10.6620/ZS.2020.59-55>

Stec D., Vecchi M., Maciejowski W., Michalczyk Ł. 2020. Resolving the systematics of Richtersiidae by multilocus phylogeny and integrative redescription of the nominal species for the genus *Crenubiotus* (Tardigrada). *Scientific Reports* 10: 19418. <https://doi.org/10.1038/s41598-020-75962-1>

Zajac K.S., Proćków M., Zajac K., **Stec D.**, Lachowska-Cierlik D. 2020. Phylogeography and potential glacial refugia of terrestrial gastropod *Faustina faustina* (Rossmässler, 1835) (Gastropoda: Eupulmonata: Helicidae) inferred from molecular data and species distribution models. *Organisms Diversity & Evolution* 20(4):747-762. <https://doi.org/10.1007/s13127-020-00464-x>

Miler K., **Stec D.**, Czarnoleski M. 2020. Heat wave effects on the behavior and life-history traits of sedentary antlions. *Behavioral Ecology* 31(6): 1326-1333. <https://doi.org/10.1093/beheco/araa085>

Stec D., Krzywański Ł., Zawierucha K., Michalczyk Ł. 2020. Untangling systematics of the *Paramacrobiotus areolatus* species complex by an integrative redescription of the nominal species for the group, with multilocus phylogeny and species delineation within the genus *Paramacrobiotus*. *Zoological Journal of the Linnean Society* 188(3): 694-716. <https://doi.org/10.1093/zoolinnean/zlzl163>

Stec D., Krzywański Ł., Arakawa K., Michalczyk Ł. 2020 A new redescription of *Richtersius coronifer*, supported by transcriptome, provides resources for describing concealed species diversity within the

monotypic genus *Richtersius* (Eutardigrada). *Zoological Letters* 6: 2. <https://doi.org/10.1186/s40851-020-0154-y>

Stec D., Kristensen R.M., Michalczyk Ł. 2020. An integrative description of *Minibiotus ioculator* sp. nov. from the Republic of South Africa with notes on *Minibiotus pentannulatus* Londoño et al., 2017 (Tardigrada: Macrobiotidae). *Zoologischer Anzeiger* 286: 117-134. <https://doi.org/10.1016/j.jcz.2020.03.007>

Stec D., Michalczyk Ł. 2020. *Macrobiotus coronifer* Richters, 1903 (type species for *Richtersius* Pilato & Binda, 1989): designating a new neotype from the original type locality described within the integrative taxonomy framework. *Zootaxa* 4858(2): 292-294. <https://doi.org/10.11646/zootaxa.4858.2.10>

Stec D., Tumanov D.T., Kristensen R.M. 2020. Integrative taxonomy identifies two new tardigrade species (Eutardigrada: Macrobiotidae) from Greenland. *European Journal of Taxonomy* 614: 1-40. <https://doi.org/10.5852/ejt.2020.614>

Stec D., Dudziak M., Michalczyk Ł. 2020. Integrative descriptions of two new Macrobiotidae species (Tardigrada: Eutardigrada: Macrobiotidae) from French Guiana and Malaysian Borneo. *Zoological Studies* 59: 23. <https://doi.org/10.6620/ZS.2020.59-23>

Kaczmarek Ł., Bartylak T., **Stec D.**, Kulpa A., Kepel M., Kepel A., Roszkowska M. 2020. Revisiting the genus *Mesobiotus* Vecchi et al., 2016 (Eutardigrada, Macrobiotidae) – remarks, updated dichotomous key and an integrative description of new species from Madagascar. *Zoologischer Anzeiger* 287: 121-146. <https://doi.org/10.1016/j.jcz.2020.05.003>

Itang L.A.M., **Stec D.**, Mapalo M.A., Mirano-Bascos D., Michalczyk Ł. 2020. An integrative description of *Mesobiotus dilimanensis*, a new tardigrade species from the Philippines (Eutardigrada: Macrobiotidae: *furciger* group). *Raffles Bulletin of Zoology* 68: 19-31. <https://doi.org/10.26107/RBZ-2020-0003>

Bryndová M., **Stec D.**, Schill R.O., Michalczyk Ł., Devetter M. 2020. Dietary preferences and diet effects on life-history traits of tardigrades. *Zoological Journal of the Linnean Society* 188(3): 865-877. <https://doi.org/10.1093/zoolinnean/zlz146>

Pogwizd J., **Stec D.** 2020. New Records of *Dactylobiotus parthenogeneticus* Bertolani, 1982 Provide Insight into Its Genetic Variability and Geographic Distribution. *Folia Biologica (Kraków)* 68(2): 57-72. https://doi.org/10.3409/fb_68-2.08

Stec D., Kuszewska K. 2020. CO2 narcosis influences the memory of honey bees. *Journal of Apicultural Research* 59(4), 663-668. <https://doi.org/10.1080/00218839.2019.1710028>

Stec D. 2019. *Mesobiotus datanlanicus* sp. nov., a new tardigrade species (Macrobiotidae: *Mesobiotus harmsworthi* group) from Lâm Đồng Province in Vietnam. *Zootaxa* 4679(1): 164-180. <https://doi.org/10.11646/zootaxa.4679.1.10>

Coughlan K., Michalczyk Ł., **Stec D.** 2019. *Macrobiotus caelestis* sp. nov., a new tardigrade species (Macrobiotidae: *hufelandi* group) from the Tien Shan mountains (Kyrgyzstan). *Annales Zoologici* 69(3): 499-513. <https://doi.org/10.3161/00034541ANZ2019.69.3.002>

Coughlan K., **Stec D.** 2019. Two new species of the *Macrobiotus hufelandi* complex (Tardigrada: Eutardigrada: Macrobiotidae) from Australia and India, with notes on their phylogenetic position. *European Journal of Taxonomy* 573: 1-38. <https://doi.org/10.5852/ejt.2019.573>

Gąsiorek P., Morek W., **Stec D.**, Blagden B., Michalczyk Ł. 2019. Revisiting Calohypsibiidae and Microhypsibiidae: *Fractonotus* Pilato, 1998 and its phylogenetic position within Isohypsibiidae (Eutardigrada: Parachela). *Zoosystema* 41(6): 71-89. <https://doi.org/10.5252/zoosystema2019v41a6>

Gąsiorek P., Morek W., **Stec D.**, Michalczyk Ł. 2019. Untangling the *Echiniscus* Gordian knot: paraphyly of the “*arctomys* group” (Heterotardigrada: Echiniscidae). *Cladistics* 35(6): 633-653. <https://doi.org/10.1111/cla.12377>

Gąsiorek P., **Stec D.**, Morek W., Michalczyk Ł. 2019. Deceptive conservatism of claws: distinct phyletic lineages concealed within Isohypsibioida (Eutardigrada) revealed by molecular and morphological evidence. *Contributions to Zoology* 88(1): 78-132. <https://doi.org/10.1163/18759866-20191350>

Morek W., **Stec D.**, Gąsiorek P., Surmacz B., Michalczyk Ł. 2019. *Milnesium tardigradum* Doyère, 1840: the first integrative study of inter-population variability in a tardigrade species. *Journal of Zoological Systematics and Evolutionary Research* 57(1): 1-23. <https://doi.org/10.1111/jzs.12233>

Gąsiorek P., **Stec D.**, Zawierucha Z., Kristensen R.M., Michalczyk Ł. 2018. Revision of *Testechiniscus* Kristensen, 1987 (Heterotardigrada: Echiniscidae) refutes the polar-temperate distribution of the genus. *Zootaxa* 4472(2): 261-297. <https://doi.org/10.11646/zootaxa.4472.2.3>

Marley N.J., Kaczmarek Ł., Gawlak M., Bartels P.J., Nelson D.R., Roszkowska M., **Stec D.**, Degma P. 2018. A clarification for the subgenera of *Paramacrobotus* Guidetti, Schill, Bertolani, Dandekar and Wolf, 2009, with respect to the International Code of Zoological Nomenclature. *Zootaxa* 4407(1): 130-134. <https://doi.org/10.11646/zootaxa.4407.1.9>

Kaczmarek Ł., Zawierucha K., Buda J., **Stec D.**, Gawlak M., Michalczyk Ł., Roszkowska M. 2018. An integrative redescription of the nominal taxon for the *Mesobiotus harmsworthi* group (Tardigrada: Macrobiotidae) leads to descriptions of two new *Mesobiotus* species from Arctic. *PLoS ONE* 13(10): e0204756. <https://doi.org/10.1371/journal.pone.0204756>

Nowak B., **Stec D.** 2018. An integrative description of *Macrobiotus hanna*e sp. nov. (Tardigrada: Eutardigrada: Macrobiotidae: *hufelandi* group) from Poland. *Turkish Journal of Zoology* 42: 269-286. <https://doi.org/10.3906/zoo-1712-31>

Roszkowska M., **Stec D.**, Gawlak M., Kaczmarek Ł. 2018. An integrative description of a new tardigrade species *Mesobiotus romani* sp. nov. (Macrobiotidae: *harmsworthi* group) from the Ecuadorian Pacific coast. *Zootaxa* 4450(5): 550-564. <https://doi.org/10.11646/zootaxa.4450.5.2>

Stec D., Arakawa K., Michalczyk Ł. 2018. An integrative description of *Macrobiotus shonaicus* sp. nov. (Tardigrada: Macrobiotidae) from Japan with notes on its phylogenetic position within the *hufelandi* group. *PLoS ONE* 13(2): e0192210. <https://doi.org/10.1371/journal.pone.0192210>

Stec D., Kristensen R.M., Michalczyk Ł. 2018. Integrative taxonomy identifies *Macrobiotus papei*, a new tardigrade species of the *Macrobiotus hufelandi* complex (Eutardigrada: Macrobiotidae) from the Udzungwa Mountains National Park (Tanzania). *Zootaxa* 4446(2): 273-291. <https://doi.org/10.11646/zootaxa.4446.2.7>

Stec D., Krzywański Ł., Michalczyk Ł. 2018. Integrative description of *Macrobiotus canaricus* sp. nov. with notes on *M. recens* (Eutardigrada: Macrobiotidae). *European Journal of Taxonomy* 452: 1-36. <https://doi.org/10.5852/ejt.2018.452>

Stec D., Morek W., Gąsiorek P., Michalczyk Ł. 2018. Unmasking hidden species diversity within the *Ramazzottius oberhaeuseri* complex, with an integrative redescription of the nominal species for the

family Ramazzottiidae (Tardigrada: Eutardigrada: Parachela). Systematics and Biodiversity 16(4): 357-376. <https://doi.org/10.1080/14772000.2018.1424267>

Stec D., Roszkowska M., Kaczmarek Ł., Michalczyk Ł. 2018. An integrative description of a population of *Mesobiotus radiatus* (Pilato, Binda and Catanzaro, 1991) from Kenya. Turkish Journal of Zoology 42: 523-540. <https://doi.org/10.3906/zoo-1802-43>

Gąsiorek P., **Stec D.**, Morek W., Michalczyk Ł. 2018. An integrative redescription of *Hypsibius dujardini* (Doyère, 1840), the nominal taxon for Hypsibioidea (Tardigrada: Eutardigrada). Zootaxa 4415(1): 45-75. <https://doi.org/10.11646/zootaxa.4415.1.2>

Stec D., Roszkowska M., Kaczmarek Ł., Michalczyk Ł. 2018. *Paramacrobotus lachowskiae*, a new species of Tardigrada from Colombia (Eutardigrada: Parachela: Macrobiotidae). New Zealand Journal of Zoology 45(1): 43-60. <https://doi.org/10.1080/03014223.2017.1354896>

Zawierucha Z., **Stec D.**, Lachowska-Cierlik D., Takeuchi N., Li Z., Michalczyk Ł. 2018. High mitochondrial diversity in a new water bear species (Tardigrada: Eutardigrada) from mountain glaciers in central Asia, with the erection of a new genus *Cryoconicus*. Annales Zoologici 68(1): 179-201. <https://doi.org/10.3161/00034541ANZ2018.68.1.007>

Stec D., Morek W., Gąsiorek P., Blagden B., Michalczyk Ł. 2017. Description of *Macrobiotus scoticus* sp. nov. (Tardigrada: Macrobiotidae: *hufelandi* group) from Scotland by means of integrative taxonomy. Annales Zoologici 67(2): 181-197. <https://doi.org/10.3161/00034541ANZ2017.67.2.001>

Stec D., Kristensen R.M. 2017. An integrative description of *Mesobiotus ethiopicus* sp. nov. (Tardigrada: Eutardigrada: Parachela: Macrobiotidae: *harmsworthi* group) from the Northern Afrotropic region. Turkish Journal of Zoology 41: 800-811. <https://doi.org/10.3906/zoo-1701-47>

Stec D., Zawierucha K., Michalczyk Ł. 2017. An integrative description of *Ramazzottius subanomalous* (Biserov, 1985) (Tardigrada) from Poland. Zootaxa 4300(3): 403-420. <https://doi.org/10.11646/zootaxa.4300.3.4>

Gąsiorek P., **Stec D.**, Morek W., Marnissi J., Michalczyk Ł. 2017. The tardigrade fauna of Tunisia, with an integrative description of *Bryodelphax maculatus* sp. nov. (Heterotardigrada: Echiniscidae). African Zoology 52(2): 77-89. <https://doi.org/10.1080/15627020.2017.1297688>

Gąsiorek P., **Stec D.**, Morek W., Michalczyk Ł. 2017. An integrative redescription of *Echiniscus testudo* (Doyère, 1840), the nominal taxon for the class Heterotardigrada (Ecdysozoa: Panarthropoda: Tardigrada). Zoologischer Anzeiger 270: 107-122. <https://doi.org/10.1016/j.jcz.2017.09.006>

Gąsiorek P., Zawierucha K., **Stec D.**, Michalczyk Ł. 2017. Integrative redescription of a common Arctic water bear *Pilatobius recamieri* (Richters, 1911). Polar Biology 40(11): 2239-2252. <https://doi.org/10.1007/s00300-017-2137-9>

Mapalo M., **Stec D.**, Mirano-Bascos D., Michalczyk Ł. 2017. An integrative description of a limnoterrestrial tardigrade from the Philippines, *Mesobiotus insanis*, new species (Eutardigrada: Macrobiotidae: *harmsworthi* group). Raffles Bulletin of Zoology 65: 440-454.

Roszkowska M., Ostrowska M., **Stec D.**, Janko K., Kaczmarek Ł. 2017. *Macrobiotus polypiformis* sp. nov., a new tardigrade (Macrobiotidae; *hufelandi* group) from the Ecuadorian Pacific coast, with remarks on the claw abnormalities in eutardigrades. European Journal of Taxonomy 327: 1-19. <https://doi.org/10.5852/ejt.2017.327>

Nowak B., **Stec D.** 2017. The first record of *Macrobiotus vladimiri* Bertolani, Biserov, Rebecchi and Cesari, 2011 (Tardigrada: Eutardigrada: Macrobiotidae: *hufelandi* group) from Poland. Turkish Journal of Zoology 41: 558-567. <https://doi.org/10.3906/zoo-1609-22>

Stec D., Morek W., Gąsiorek P., Kaczmarek Ł., Michalczyk Ł. 2016. Determinants and taxonomic consequences of extreme egg shell variability in *Ramazzottius subanomalous* (Biserov, 1985) (Tardigrada). Zootaxa 4208(2): 176-188. <https://doi.org/10.11646/zootaxa.4208.2.5>

Gąsiorek P., **Stec D.**, Morek W., Zawierucha K., Kaczmarek Ł., Lachowska-Cierlik D., Michalczyk, Ł. (2016) An integrative revision of *Mesocrista* Pilato, 1987 (Tardigrada: Eutardigrada: Hypsibiidae). Journal of Natural History 50(45-46): 2803-2828. <https://doi.org/10.1080/00222933.2016.1234654>

Stec D., Gąsiorek P., Morek W., Kosztyła P., Zawierucha K., Michno K., Kaczmarek Ł., Prokop Z.M., Michalczyk Ł. 2016. Estimating optimal sample size for tardigrade morphometry. Zoological Journal of the Linnean Society 178(4): 776-784. <https://doi.org/10.1111/zoj.12404>

Kosztyła P., **Stec D.**, Morek W., Gąsiorek P., Zawierucha K., Michno K., Ufir K., Małek D., Hlebowicz K., Laska A., Dudziak M., Frohme M., Prokop Z.M., Kaczmarek Ł., Michalczyk Ł. 2016. Experimental taxonomy confirms the environmental stability of morphometric traits in a taxonomically challenging group of microinvertebrates. Zoological Journal of the Linnean Society 178(4): 765-775. <https://doi.org/10.1111/zoj.12409>

Morek W., **Stec D.**, Gąsiorek P., Schill R.O., Kaczmarek Ł., Michalczyk Ł. 2016. An experimental test of eutardigrade preparation methods for light microscopy. Zoological Journal of the Linnean Society 178(4): 785-793. <https://doi.org/10.1111/zoj.12457>

Mapalo M., **Stec D.**, Mirano-Bascos D.M., Michalczyk Ł. 2016. *Mesobiotus philippinicus* sp. nov., the first limnoterrestrial tardigrade from the Philippines. Zootaxa 4126(3): 411-426. <https://doi.org/10.11646/zootaxa.4126.3.6>

Morek W., Gąsiorek P., **Stec D.**, Blagden B., Michalczyk Ł. 2016. Experimental taxonomy exposes ontogenetic variability and elucidates the taxonomic value of claw configuration in *Milnesium* Doyère, 1840 (Tardigrada: Eutardigrada: Apochela). Contributions to Zoology 85(2): 173-200. <https://doi.org/10.1163/18759866-08502003>

Roszkowska M., **Stec D.**, Ciobanu D.A., Kaczmarek Ł. 2016. Tardigrades from Nahuel Huapi National Park (Argentina, South America) with descriptions of two new Macrobiotidae species. Zootaxa 4105(3): 243-260. <https://doi.org/10.11646/zootaxa.4105.3.2>

Stec D., Smolak R., Kaczmarek Ł., Michalczyk Ł. 2015. An integrative description of *Macrobiotus paulinae* sp. nov. (Tardigrada: Eutardigrada: Macrobiotidae: *hufelandi* group) from Kenya. Zootaxa 4052(5): 501-526. <https://doi.org/10.11646/zootaxa.4052.5.1>

Sobczyk M., Michno K., Kosztyła P., **Stec D.**, Michalczyk Ł. 2015. Tolerance to ammonia of *Thulinus ruffoi* (Bertolani, 1981), a tardigrade isolated from a sewage treatment plant. Bulletin of Environmental Contamination and Toxicology 5(6): 721-727. <https://doi.org/10.1007/s00128-015-1593-6>